

CAR RADIO MADRID 200 BT



Subject to availability and technical modification.



Shortened installation depth



RDS Tuner



Bluetooth



USB



USB



Comfort Browsing



4x40W



Sound Presets



X-BASS



Permanent memory



Ignition logic

Sales Start
AUTUMN 2020

Order Number
2 001 020 000 001

EAN-Code
4 260 499 852 320

Highlights

- RDS Tuner
- FM (RDS), AM (MW, LW)
- Comfortable folder/file browsing
- Playback formats: MP3, WMA
- Fast playback from USB
- Selectable display modes (file, folder, title, artist, album & playtime)
- Data carrier: USB
- 9-digit display
- Built-in Bluetooth (HFP, A2DP)
- Built-in microphone
- Front USB
- Front-Aux-in
- 4x40 Watt Max.
- 2-channel Preamp-out
- Sound presets (Flat, Rock, Pop, Classic)
- X-Bass
- Red key illumination

CAR RADIO

MADRID 200 BT

2/3

ANALOG RADIO

Type of tuner	RDS Tuner
Wave bands	3x AM/FM
Radio Data System (RDS)	Alternative Frequency (AF) Clock Time (CT) Programme Service Name (PS) Regional Programme (REG) Traffic Announcement (TA) Traffic Program (TP) yes (FMT)
Travelstore	yes / yes
Band Scan / Preset Scan	18 FM / 12 AM
Station memory	lo / dx
Sensitivity	yes
Interference suppression	20 – 18.000
Frequency response (Hz) -3 dB	

**BLUETOOTH**

Supported profiles	HFP,A2DP
Audio streaming	yes
Pairing (number of devices)	1
Hands-free calling	yes
Microphone	built-in
Key functions	accept / hang-up / reject call / redial
Phone book access	yes (up to 1.000 entries by phone)

**MEDIA-PLAYER**

Playback format	MP3, WMA
Title display	ID tag, file folder
Folder- & file browsing	yes (DIR +/-)
Display modes	yes (file, folder, title, artist, album, playtime)
Mix (random play) / Repeat / Scan	yes / yes / yes
Bitrate (kBit/s)	32 -320



CAR RADIO

MADRID 200 BT

3/3

AUDIO / EQUALIZER

Bass / treble	yes / yes (+/- 7 steps)
Balance / fader	yes / yes (+/- 9 steps)
X-Bass	yes
Sound presets	Flat, Rock, Pop, Classic

AMPLIFIER

Number of channels	4
Max. power	4 x 40 Watt
Sinus power at 14.4 V	4 x 20 Watt

DISPLAY

Type / Digits	1-line / 9
Colour	negative, black and white
Clock display	24 / 12 hrs

INPUTS

Antenna (number of)	1 (FM ISO)
USB (number of / type)	1 (front)
Aux-In (number of, type)	1 front (3,5 mm jack)

OUTPUTS

Loudspeaker (number of)	4
Pre-amplifier channel	2-channels (RCA)
Pre-amplifier voltage	1.5 V (rms)

GENERAL

Software update	via USB
Confirmation beep	yes
Menu language	English
Front panel	Fix panel
Panel illumination	Red
Permanent preset /& setting storage	yes
Ignition logic	yes
Weight (kg)	ca. 0,7
Dimensions (mm)	188 x 58 x 110
ISO connector cable set	yes, 16 pin connector
User manual	yes
4-color gift box	yes

